







REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	AS	REVISED PER ECR-19-011518	28AUG2019	BDA	SF



1. MATES WITH APPROPRIATE UNIVERSAL MATE-N-LOCK™ CAP OR HEADER.
2. SMALL NICKS ARE PERMITTED ON THE CIRCUIT TOWER WHICH COULD INCREASE THE INITIAL HOUSING MATING FORCE BY UP TO 4.4 NEWTONS (1.0 LBS.). NO INDIVIDUAL NICKED TOWER SHALL INCREASE THIS FORCE BY OVER 2.2 NEWTONS (.5 LBS).
3. DIMENSIONS SHOWN REPRESENT PRODUCT IN DRY, AS MOLDED, CONDITION. ADDITIONAL 2% GROWTH DUE TO SUBSEQUENT MOISTURE ABSORPTION MAY OCCUR AND SHOULD BE ACCOUNTED FOR.
4. FOUR RIBS EQUALLY SPACED, NO SPECIFIC ORIENTATION. NO RIBS OR SIX RIBS EQUALLY SPACED, NO SPECIFIC ORIENTATION, OPTIONAL.
5. UNDERWRITERS RECOGNIZED COMPONENT LOGO AND CSA CERTIFICATION LOGO TO BE LOCATED ONCE ON ANY SIDE OF HOUSING.
6. SHOWN FOR CONVENIENCE: AMP OR TE LOGO MAY BE ON ANY EXTERNAL SURFACE.



DETAIL A  
OPTIONAL CONSTRUCTIONS







BLACK	1-480700-9
GRAY	1-480700-8
BLUE	1-480700-6
GREEN	1-480700-5
YELLOW	1-480700-4
ORANGE	1-480700-3
RED	1-480700-2
BROWN	1-480700-1
NATURAL	1-480700-0
COLOR	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN B. WEAVER 08MAY2019		 TE Connectivity													
<div>DIMENSIONS: mm</div> <div></div>			CHK S. FERNANDES 08MAY2019															
			APVD T. BENCHOET 08MAY2019															
			PRODUCT SPEC															
<div>TOLERANCES, UNLESS OTHERWISE SPECIFIED:</div> <div><table><tr><td>0 PLC</td><td>±.</td></tr><tr><td>1 PLC</td><td>±.</td></tr><tr><td>2 PLC</td><td>±0.13</td></tr><tr><td>3 PLC</td><td>±.</td></tr><tr><td>4 PLC</td><td>±.</td></tr><tr><td>ANGLES</td><td>±0° 30'</td></tr></table></div>			0 PLC	±.	1 PLC	±.	2 PLC	±0.13	3 PLC	±.	4 PLC	±.	ANGLES	±0° 30'	APPLICATION SPEC		NAME PLUG, 3 CIRCUIT, UNIVERSAL MATE-N-LOCK	
			0 PLC	±.														
			1 PLC	±.														
2 PLC	±0.13																	
3 PLC	±.																	
4 PLC	±.																	
ANGLES	±0° 30'																	
<div>MATERIAL</div> <div>NYLON UL 94V-2</div>			WEIGHT		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO									
			CUSTOMER DRAWING		A		00779		C=480700		-							
					SCALE		4:1		SHEET		1 OF 2		REV		AS			

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

1. STAMP NUMBERS 3.18 HIGH AT WIRE END OF HOUSING (12 POINT DAVID TYPE).
2. CHARACTERS TO BE STAMPED ON HOUSING IN A MANNER AS TO BE READ FROM WIRE END ONLY.
3. VIOLET, BLACK, BROWN, AND BLUE COLORED BLOCKS TO BE STAMPED WITH WHITE CHARACTERS. ALL OTHER COLORED BLOCKS TO BE STAMPED WITH BLACK CHARACTERS.



NATURAL	2-480700-0
COLOR	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B. WEAVER 08MAY2019	 TE Connectivity	
		CHK S. FERNANDES 08MAY2019		
DIMENSIONS:		APVD T. BENCHOET 08MAY2019	NAME PLUG, 3 CIRCUIT, UNIVERSAL MATE-N-LOCK	
mm		PRODUCT SPEC	-	
		APPLICATION SPEC	-	
		WEIGHT	-	
MATERIAL NYLON UL 94V-2		CUSTOMER DRAWING	A   00779 ©=480700	
		SCALE 4:1	SHEET 2 OF 2	
		REV AS		